

SAFETY DATA SHEET

GRAPHENE NANOPARTICLES FLOW FROM 1NM TO 100NM

MANUFACTURER/SUPPLIER	DESCRIPTION		
JAVI NANOTECHNOLOGY CORP EIN 84-2905354 8095 NW 90™ Street, Medley, Florida 33166.	Technology of Graphene Nanoparti	cles Flow CAS# 7782-42-5	
	PACKING		
	Glass bottles containing 1000 (thousand) grams		
	FORMULA	PURITY	
	C (Carbon - Family Graphene)	99,9998%	
	CHEMICAL PROPERTIES		
	Appearance	Colloidal Liquid	
	Molecular Weight	12.01	
	Melting/Boiling Point	3652° ~ 3697°	
	Thermal Conductivity	165 ~ 199 W/m/K	
	рН	No data available	
	Initial Boiling Point and Boiling Range	4200°	
	Water Solubility	0.864 g/cm ³	

HAZARD IDENTIFICATION		
DESCRIPTION	Xn Harmful F Highly flammable Information pertaining to particular dangers for man and environment: R 11 Highly flammable R 62 possible risk of impaired fertility R 63 Possible risk of harm to the unborn child	
CLASSIFICATION SYSTEM	HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 3 Reactivity = 1	











SAFETY DATA SHEET

GRAPHENE NANOPARTICLES FLOW FROM 1NM TO 100NM

FIRST AID MEASURES		
AFTER INHALATION	Supply fresh air, if required, provide artificial respiration. Keep patient warm. Seek immediate medical advice	
AFTER SKIN CONTACT	Immediately wash with water and soap and rinse thoroughly Seek immediate medical advice	
AFTER EYE CONTACT	Rinse opened eye for several minutes under running water then consult doctor	
AFTER SWALLOWING	Seek immediate medical advice	

FIRE FIGHTING MEASURES	ACCIDENTAL RELEASE MEASURES
Suitable extinguishing agents:	Person related safety precautions:
Special powder for metal fires Do not use water	Wear protective equipment Keep unprotected persons away Ensure adequate ventilation
For safety reasons unsuitable extinguishing agents:	Keep away from ignition sources Measures for environmental protection:
Water Protective equipment Wear self-contained respirator Wear fully protective impervious suit	Do not allow material to be released to the environment without proper governmental permits
vvedi fully protective impervious suit	Measures for cleaning/collecting:
	Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Keep away from ignition sources

HANDLING AND STORAGE

Information for safe handling. Keep the container tightly sealed. Store in cool, dry places in tightly closed containers. Ensure good ventilation at the workplace

Information about protection against explosions and fires:

Keep ignition sources away. Protect against electrostatic charges Fumes can combine with air to form an explosive mixture

Storage

Store in a cool location









JAVI NANOTECHNOLOGY CORP, 8095 NW 90™ STREET, MEDLEY, FLORIDA 33166. control@javinano.com / https://javinano.com OSHA 29 CFR 1910. 1200 Dec/24



SAFETY DATA SHEET

GRAPHENE NANOPARTICLES FLOW FROM 1NM TO 100NM

GENERAL PROTECTIVE AND HYGIENIC MEASURES

PERSONAL PROTECTION

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with eyes and skin

Breathing equipment: Use suitable respirator when

high concentrations are present

Protection of hands: Impervious gloves

Eve protection: Safety glasses

Body protection: Protective work clothing

ACUTE TOXICITY

TOXICOLOGICAL INFORMATION

Primary irritant effect

On the skin: Irritant to skin and mucous membranes

On the eye: Irritating effect

Sensitization: No sensitizing effects known

Subacute to chronic toxicity: Carbon compounds may be irritating to the skin, eyes and respiratory tract. They may cause metal fume fever, hemolysis of the red blood cells and injury to the liver, lungs, kidneys and pancreas. Ingestion may also cause vomiting, gastric pain, dizziness, anemia, cramps, convulsions, shock, coma and death. Carbon solutions may cause

sensitization reactions

STABILITY AND REACTIVITY

Conditions to be avoided/thermal decomposition: Decomposition will not occur if used and stored according to specifications. Dangerous reactions. Contact with acids releases flammable gases. Dangerous products of decomposition. Toxic metal oxide fume

TRANSPORT INFORMATION

DOT REGULATIONS

Hazard class: 9

Identification number: UN3082

Packing group: III

Proper shipping name: Environmentally Hazardous

Substances, Liquid, N.O.S

LAND TRANSPORT ADR/RID (cross-border)

ADR/RID class: 9 Flammable solids

Item: 13c

Danger code (Kemmler): 90

UN-Number: 3082

Description of goods: Environmentally Hazardous

Substances, Liquid, N.O.S

MARITIME TRANSPORT IMDG

IMDG Class: 9 UN Number: 3082 Packing group: III

Proper shipping name: Environmentally Hazardous

Substances, Liquid, N.O.S.

AIR TRANSPORT ICAO-TI AND IATA-DGR

ICAO/IATA Class: 9 UN/ID Number: 3082 Packing group: III

Proper shipping name: Environmentally Hazardous

Substances, Liquid, N.O.S.







